


The Current State of DNS Resolvers and RPKI Protection



UNIVERSITY
OF AMSTERDAM
Erik Dekker
Marius Brouwer



NLNETLABS
Willem Toorop

DNSSEC Workshop at the

I C A N N

VIRTUAL ANNUAL GENERAL


69

Motivation


- DNSSEC protects against address forgery
- But the address can be trivially hijacked



RPKI 101



RPKI 101




Motivation

- DNSSEC protects against address forgery
- But the address can be trivially hijacked
- RPKI to the rescue



RPKI 101






Motivation

- What does this have to do with DNS Resolvers?

RPKI 101




What Happened? The Amazon Route 53 BGP Hijack to Take Over Ethereum Cryptocurrency Wallets | Internet Society - Chromium

What Happened? The Amazon Route 53 BGP Hijack to Take Over Ethereum Cryptocurrency Wallets


Mutually Agreed Norms for Routing Security (MANRS) 27 April 2018


By Aftab Siddiqui
Senior Manager, Internet Technology - Asia-Pacific

Yesterday, we published a blog post sharing the news and some initial details about [Amazon's DNS route hijack event to steal Ethereum cryptocurrency from myetherwallet.com](#). In this post, we'll explore more details about the incident from the BGP hijack's perspective.



RPKI vs DNSSEC

- 
- A dark silhouette of a muscular figure, seen from the back, with the letters 'RPKI' printed on its back. The figure is positioned on the left side of the slide, facing right towards the central text.
- Increase assurance of delivery
 - No integrity
 - No authentication
 - Need signing **and** validation
- 
- A dark silhouette of a muscular figure, seen from the back, with the letters 'DNSSEC' printed on its back. The figure is positioned on the right side of the slide, facing left towards the central text.
- Doesn't matter how you got it
 - Integrity
 - Origin authentication



Research question

Main:

What is the state of Route Origin Validation (RoV) on DNS resolvers?

Sub:

- Does the length of the AS path matter?
- How does anycast influence the protection?

Test setup

```
$ORIGIN rootcanary.net
$TTL 60
@ SOA ns1.surfnet.nl. (
    dns-beheer.surfnet.nl.
    2020080503 ; serial
    10800      ; refresh
    3600       ; retry
    604800    ; expire
    86400     ; minimum
)
NS ns1.surfnet.nl.
NS ns2.surfnet.nl.
NS ns3.surfnet.nl.
NS ns1.zurich.surf.net.

$TTL 25200
valid4 NS valid4
valid4 A 209.24.1.6

invalid4 NS invalid4
invalid4 A 194.32.71.6
```

```
$ORIGIN valid4.rootcanary.net
$TTL 300
@ SOA valid4.rootcanary.net. (
    sysadm.rootcanary.org.
    2020012100 10800 3600
    604800 300 )
NS @
A 209.24.1.6

$TTL 1
invalid DNAME invalid4.rootcanary.net.
```

```
$ORIGIN invalid4.rootcanary.net
$TTL 300
@ SOA invalid4.rootcanary.net. (
    sysadm.rootcanary.org.
    2020012100 10800 3600
    604800 300 )
NS @
A 194.32.71.6
* A 145.97.20.20
```



prefix	209.24.1.0/24
max len	24
ASN	15562



prefix	194.32.71.0/24
max len	24
ASN	0



Test setup





You are here: [Home](#) > [Analyse](#) > [Internet Measurements](#) > [RIPE Atlas](#) > [Measurements](#) > Measurement #23865475

Settings & Status

Latest Results

Map

Latencymon

Downloads

Overview

recurring IPv4 DNS "RPKI Resolver msm IPv4" id 23865475



Target

No Target (Uses Resolvers configured on Probe)



DNS Specific Settings

IN A \$r-\$t-\$p.invalid.valid4.rootcanary.net.



Status & Timing

ONGOING from 2020-01-22T16:09:45Z every 3600s



Probes

All connected IPv4 Probes Requested / 13868 Actually Participating




Tags & Projects

Ownership & Costs

Public




Test setup





Test se






Test setup


- Atlas measurement kindly provided by Emile Aben
- Beacon for the authoritatives kindly provided by Job Snijders

Results

Probe/resolver pair




Probe time series




Results

Top ten most popular ASes




Top ten most protected ASes



Results

Sub RQ: Does the length of the AS path matter?


Relationship RPKI protection and AS path length



Results

Sub RQ: How does anycast influence protection?

Cloudflare resolver prefix time series





Current situation / IPv6



DNSThought

DNSThought

https://dnsthought.nlnetlabs.nl/does_rov4/#top_auth_asns



Test setup

```
$ORIGIN rootcanary.net
$TTL 60
@      SOA  ns1.surfnet.nl. (
            dns-beheer.surfnet.nl.
            2020080503 ; serial
            10800      ; refresh
            3600       ; retry
            604800     ; expire
            86400      ; minimum
            )
NS      ns1.surfnet.nl.
NS      ns2.surfnet.nl.
NS      ns3.surfnet.nl.
NS      ns1.zurich.surf.net.

$TTL 25200

valid6   NS      valid6
valid6   AAAA    2001:728:1808:5::6

invalid6 NS      invalid6
invalid6 AAAA    2001:7fb:fd04::6
```

```
$ORIGIN valid6.rootcanary.net
$TTL 300
@      SOA  valid6.rootcanary.net. (
            sysadm.rootcanary.org.
            2020012100 10800 3600
            604800 300 )
NS      @
A      2001:728:1808:5::6

$TTL 1
invalid DNAME invalid6.rootcanary.net.
```

```
$ORIGIN invalid6.rootcanary.net
$TTL 300
@      SOA  invalid6.rootcanary.net. (
            sysadm.rootcanary.org.
            2020012100 10800 3600
            604800 300 )
NS      @
A      2001:7fb:fd04::6
*      A      2001:610:188:408::20
```

prefix	2001:728:1808::/48
max len	64
ASN	15562



prefix	2001:7fb:fd04::/48
max len	48
ASN	196615





Settings & Status

Latest Results

Map

Latencymon

Downloads

Overview

recurring IPv6 DNS "RPKI Resolver msm IPv6" id 23865476



Target

No Target (Uses Resolvers configured on Probe)



DNS Specific Settings

IN AAAA \$r-\$t-\$p.invalid.valid6.rootcanary.net.



Status & Timing

ONGOING from 2020-01-22T16:09:45Z every 3600s



Probes

All connected IPv6 Probes Requested / 6928 Actually Participating



Tags & Projects



Ownership & Costs

Public




DNSThought

https://dnsthought.nlnetlabs.nl/does_rov6/#top_auth_asns




DNSThought



ASI2322
Free SAS



IPv4




IPv6





DNSThought


ASI3335
Cloudflare



IPv4





IPv6



ASI 3335 Cloudflare

IPv6



Re: rov for cloudflare quad-1 resolver - Postvak IN - willem@nlnetlabs.nl - Mozilla

Postvak IN - willem@nlnetlabs.nl

Re: rov for cloudflare quad-1 resolver

Van Louis Poinsignon <louis@cloudflare.com> ★

Onderwerp **Re: rov for cloudflare quad-1 resolver** 04-02-2020 16:39

Aan Martin J. Levy <martin@cloudflare.com> ☆


Cc Emile Aben <emile.aben@ripe.net> ★, mij <willem@nlnetlabs.nl>

Once this is done, we should have all our routers dropping invalids.

I'm assuming you're running DNS tests through Atlas?
Could you run a TXT CH bind.hostname, it should return the PoP it's hitting.
This could help me trace any issues.


You have to know that we keep a default route.
This should avoid a hijack sent on a peering session for instance but a transit may still have the route in it's table.

Best,
Louis



ASI 3335 Cloudflare

IPv6



Re: rov for cloudflare quad-1 resolver - Postvak IN - willem@nlnetlabs.nl - Mozilla Thunderbird

Postvak IN - willem@nlnetlabs.nl

Re: rov for cloudflare quad-1 resolver

Van Louis Poinsignon <louis@cloudflare.com> ★

Onderwerp: Re: rov for cloudflare quad-1 resolver

Aan Louis Poinsignon <louis@cloudflare.com> ★

Cc Emile Aben <emile.aben@ripe.net> ★ mij <willem@nlnetlabs.nl> ★

Once the
invalids
I'm ass
Could y
PoP it's
This co
You hav
This sh
instanc

Louis,

Let's make that: **TXT CH id.server** and match the newer RFCs. :)


Martin

On Feb 4, 2020, at 7:40 AM, Louis Poinsignon <louis@cloudflare.com> wrote:

ASI 3335 Cloudflare

IPv6

Probe/resolver pairs



Re: rov for cloudflare quad-1 resolver - Postvak IN - willem@nlnetlabs.nl - Mozilla

Postvak IN - willem@nlnetlabs.nl

Re: rov for cloudflare quad-1 resolver

Van Louis Poinsignon <louis@cloudflare.com> ★

Onderwerp: Re: rov for cloudflare quad-1 resolver

Re: rov for cloudflare quad-1 resolver - Postvak IN - willem@nlnetlabs.nl - Mozilla Thunderbird

Postvak IN - willem@nlnetlabs.nl

Re: rov for cloudflare quad-1 resolver

Van Martin J. Levy <martin@cloudflare.com> ☆

Onderwerp: Re: rov for cloudflare quad-1 resolver

Antwoorden

Van Martin J. Levy <martin@cloudflare.com> ☆

Onderwerp: Re: rov for cloudflare quad-1 resolver

Aan Louis Poinsignon <louis@cloudflare.com> ★

Cc Emile Aben <emile.aben@ripe.net> ★ mij <willem@nlnetlabs.nl>

Once the
invalids

I'm ass
Could y
PoP it's
This co

Let's make that: **TXT CH id.server** and

Louis,

Let's make that: **TXT CH id.server** and

Martin

On Feb 4, 2020, at 7:40 AM, Louis Poinsignon <louis@cloudflare.com> wrote:

Best,
Louis

```
willem@makaak:~$ dig @1.1.1.1 TXT CH id.server

; <<>> DiG 9.16.1-Ubuntu <<>> @1.1.1.1 TXT CH id.server
; (1 server found)
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 61529
;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 0


;; QUESTION SECTION:
;id.server.                CH      TXT

;; ANSWER SECTION:
id.server.                 0      CH      TXT      "AMS"


;; Query time: 12 msec
;; SERVER: 1.1.1.1#53(1.1.1.1)
;; WHEN: zo okt 18 22:35:33 CEST 2020
;; MSG SIZE rcvd: 43

willem@makaak:~$
```


I.I.I.I.I IPv4 RoV – PoPs




I.I.I.I IPv4 RoV – Countries



I.I.I.I.I IPv6 RoV – PoPs



I.I.I.I IPv6 RoV – Countries





Future improvements

- We looked at authoritatives only
 - measurement network with **more vantage points!**
- Beacons all over the world
- dnsthought results for (probe, resolver, IP @ auth)
- dnsthought measurements for *not* answering auth to inventory IP @ auth for (probe, resolver)



Questions?

- Research performed by:
 - Erik Dekker <Erik.Dekker@os3.nl>
 - Marius Brouwer <mbrouwer@os3.nl>
- From
 -  UNIVERSITY OF AMSTERDAM
- At
 -  **NLNETLABS**
- On
 - January 2020
- Report:
 - <https://delaat.net/rp/2019-2020/p04/report.pdf>
- DNSThought:
 - <https://dnsthought.nlnetlabs.nl/>